ALABAMA RELAY SERVICE May, 2001

COMPLAINTS
Description of Complaints

NOTHING TO REPORT.

DELAWARE RELAY SERVICE May, 2001

COMPLAINTS
Description of Complaints

NOTHING TO REPORT.

GEORGIA RELAY SERVICE May, 2001

COMPLAINTS **Description of Complaints**

May 8, 2001

The customer complained the CA did not remain transparent during the call.

Escalation: Received by the Washington, D.C. Relay Center, and handled by the National Customer Care Center.

Resolution: Apologized for the inconvenience. Contact Closed: May 9, 2001

MAINE RELAY SERVICE May, 2001

COMPLAINTS
Description of Complaints

NOTHING TO REPORT.

MISSISSIPPI RELAY SERVICE May, 2001

COMPLAINTS Description of Complaints

W May 9, 2001

The customer complained the CA had not relayed the call verbatim.

Escalation: Received and handled by the National Relay Center, New Castle.

Resolution: Apologized for the inconvenience, and assured the customer the CA's manager would follow up accordingly.

Contact Closed: May 9, 2001

V May 29, 2001

The customer complained he had difficulty reaching the relay service.

Escalation: Received via the Relay Customer Service Fax line, and handled by the National Customer Care Center

Resolution: Apologized, and explained we do work to ensure calls are answered quickly.

Contact Closed: May 31, 2001

NEW JERSEY RELAY SERVICE May, 2001

COMPLAINTS Description of Complaints

TTY May 3, 2001

The customer complained about the CA's typing skills.

Escalation: Received and handled by the National Relay Center, New Castle.

Resolution: Apologized for the inconvenience, and assured the customer the CA's manager would follow up accordingly.

Contact Closed: May 3, 2001

TTY May 15, 2001

The customer complained about the CA's typing.

Escalation: Received and handled by the National Relay Center, New Castle

Resolution: Apologized for the inconvenience.

Contact Closed: May 15, 2001

TTY May 23, 2001

The customer complained she had to wait a long time to reach a CA. Once she reached a CA, he/she did not follow her instructions.

Escalation: Received and handled by the National Relay Center, New Castle.

Resolution: Apologized for the inconvenience, and explained answer/wait time.

Contact Closed: May 23, 2001

NON-AT&T STATE RELAY SERVICE May, 2001

COMPLAINTS **Description of Complaints**

May 9, 2001 TTY

The customer reported that when calling the 900 Relay Services no one answered. **Escalation:** Received and handled by the National Relay Center, New Castle.

Resolution: Apologized and suggested the customer try his/her call again. Thanked the customer for reporting the problem. Contact Closed: May 9, 2001

PENNSYLVANIA RELAY SERVICE May, 2001

COMPLAINTS

Description of Complaints

TTY May 9, 2001

The customer had several complaints including the CA's typing, long wait times, and the CA not keeping her informed of the progress of the

Escalation: Received via the Relay Website, and handled by the National Customer Care Center.

Resolution: Apologized for the inconvenience, and assured the customer the CA's manager would follow up accordingly.

Contact Closed: June 4, 2001

May 18, 2001

The customer complained he/she had to wait a long time to reach a CA. **Escalation:** Received and handled by the Pennsylvania Relay Center.

Resolution: Apologized for the inconvenience.

Contact Closed: May 18, 2001

PUERTO RICO RELAY SERVICE May, 2001

COMPLAINTS
Description of Complaints

NOTHING TO REPORT.

RHODE ISLAND RELAY SERVICE May, 2001

COMPLAINTS
Description of Complaints

NOTHING TO REPORT.

TENNESSEE RELAY SERVICE May, 2001

COMPLAINTS
Description of Complaints

NOTHING TO REPORT.

VERMONT RELAY SERVICE May, 2001

COMPLAINTS Description of Complaints

TTY May 16, 2001
The customer complained he had to wait a long time to reach a CA. Escalation: Received and handled by the account manager.
Resolution: Documented for reporting purposes.

Contact Closed: 06/20/01

VIRGIN ISLANDS RELAY SERVICE May, 2001

COMPLAINTS
Description of Complaints

NOTHING TO REPORT.

VIRGINIA RELAY SERVICE May, 2001

COMPLAINTS **Description of Complaints**

TTY May 14, 2001
The customer complained the CA had not relayed the call verbatim. Escalation: Received and handled by the Virginia Relay Center.

Resolution: Apologized for the inconvenience, and assured the customer a report would be filed.

Contact Closed: May 14, 2001

WASHINGTON, D.C. RELAY SERVICE May, 2001

COMPLAINTS Description of Complaints

TTY May 19, 2001

The customer complained the CA did not relay the recorded message accurately. Escalation: Received and handled by the National Relay Center, New Castle.

Resolution: Re-dialed the number and relayed the entire message.

Contact Closed: May 19, 2001

May 20, 2001

The customer complained about receiving numerous relief CAs in a short period of time.

Escalation: Received and handled by the National Relay Center, New Castle.

Resolution: Apologized for the inconvenience. Contact Closed: May 20, 2001

WEST VIRGINIA RELAY SERVICE May, 2001

COMPLAINTS
Description of Complaints

NOTHING TO REPORT.